

Service Booklet

Information about Service



Order no. 6515 8694 13 Part no. 463 584 73 02 Edition A-2016



Welcome to the world of Mercedes-Benz

We want you to enjoy your Mercedes-Benz automobile. Vehicle safety and operational reliability are two very important factors. To maintain them, regular maintenance services are necessary. $\begin{array}{c} \text{page} \\ \triangleright \\ \end{array}$

We continuously strive to improve our product and ask for your understanding that we reserve the right to make changes in the periodic maintenance work for our vehicles.

The information in this manual is accurate as of the press date. At the time of your scheduled maintenance appointments with your authorized Mercedes-Benz Dealer, the most current maintenance work information will be utilized for your vehicle's age or kilometers. Please check with your authorized Mercedes-Benz Dealer for any changes to the periodic maintenance work required for your vehicle.

PLEASE NOTE

WE STRONGLY RECOMMEND THAT YOU HAVE YOUR VEHICLE SERVICED BY YOUR AUTHOR-IZED MERCEDES-BENZ DEALER WHO IS FULLY EQUIPPED TO PROVIDE THIS SERVICE AND THAT GENUINE MERCEDES-BENZ PARTS BE USED.

THE USE OF DEFECTIVE OR NON-EQUIVALENT PARTS MAY RESULT IN YOUR EMISSION PER-FORMANCE WARRANTY CLAIM BEING DENIED.

Symbols

You will find the following symbols in this Service Booklet:

Warning notes make you aware of dangers which could pose a threat to your health or life, or to the health and life of others.

Notes on material damage alert you to dangers that could lead to damage to your vehicle.

Practical tips or further information that could be helpful to you.

This symbol tells you where you can find more information about a topic.

 $(\triangleright$

This symbol indicates a warning or an instruction that is continued on the next page.

Publication details

Internet

Further information on Mercedes-Benz vehicles and Daimler AG can be found on the Internet at the following websites: http://www.mercedes-benz.ca

Editorial office

[©] Daimler AG: Not to be reprinted, translated or otherwise reproduced, in whole or in part, without written permission from Daimler AG.

Model

G-Class

Vehicle manufacturer

Daimler AG Mercedesstraße 137 70327 Stuttgart Germany

As at 05.03.2015

General Information	2
Vehicle data	2
Protecting the environment	2

Service Booklet	3
Introduction	3
Important safety notes	3
ASSYST PLUS service interval dis-	
play	3
Mercedes-Benz Service	4
Tire rotation	4
Severe operating conditions	5
Wear items	5
Approved engine oils and oil fil-	
ters	5
Regular checks	6
Notes on the warranty	6
Parts/Operating materials	6
Service records	6
Emission System Maintenance	6
Gasoline Engines	6
Emission Control System Caution	
- Gasoline Engines	7
Description of Emission System Main-	
tenance Jobs	7
Engine oil and filter change	8
Replace engine air filter	8
Replace fuel filter	8
Check engine poly-V-belt condi-	
tion	8
Replace spark plugs	8
Maintenance service descriptions	8
Vehicle Maintenance Service	
Work (including Emission System	
Maintenance)	8
Service overview	9
Additional maintenance work	11

Confirmations	12
Pre-delivery inspection	12
Tire rotation	13
Service reports	15

Vehicle data

2

•	•	•
Model	License Plate No.	License Plate No.
•	•	•
Vehicle Identification Number (VIN)	License Plate No.	License Plate No.
•	•	•
Initial registration	License Plate No.	License Plate No.
•	•	•
Paintwork	License Plate No.	License Plate No.

You can find the confirmation of the pre-delivery inspection of your vehicle at (> page 12).

Protecting the environment

Daimler's declared policy is one of comprehensive environmental protection.

The objectives are for the natural resources that form the basis of our existence on this planet to be used sparingly and in a manner that takes the requirements of both nature and humanity into account.

You too can help to protect the environment by operating your Mercedes-Benz in an environmentally-responsible manner.

Operating conditions and your individual driving style to a large extent influence fuel consumption and the rate of engine, brake, and tire wear. To reduce fuel consumption and the rate of wear, please consider the following:

- · avoid short trips.
- always make sure that the tire pressures are correct.
- avoid frequent, sudden acceleration.

- do not carry any unnecessary weight.
 remove roof racks once you no longer need them.
- do not warm up the engine when the vehicle is stationary.
- change gear in good time and use each gear only up to ⅔ of its maximum engine speed.
- keep an eye on the vehicle's fuel consumption.

A regularly serviced vehicle will contribute to environmental protection. You should adhere to the maintenance intervals displayed by the ASSYST PLUS service interval display, along with other maintenance work described in this booklet.

We recommend that you have maintenance services performed by your authorized Mercedes-Benz Center using Genuine Mercedes-Benz parts.



Introduction

Important safety notes

MARNING

If you do not have the prescribed service/ maintenance work or any required repairs carried out, this can result in malfunctions or system failures. There is a risk of an accident. Always have the prescribed service/maintenance work as well as any required repairs carried out at a qualified specialist workshop.

MARNING

Limbs could be crushed or trapped if the engine is started unintentionally during service or maintenance work. There is a risk of injury.

Always secure the engine against unintentional starting before carrying out maintenance or repair work.

When working on the vehicle, always comply with all safety regulations, such as operating instructions, regulations concerning hazardous materials, environmental protection measures, work safety and accident prevention regulations.

Before performing any maintenance work, please make sure that you read the technical documentation, e.g. the Operator's Manual and workshop information.

MARNING

Cloths or other flammable materials left in the engine compartment can ignite if they come into contact with the exhaust system or parts of the engine that heat up. There is a risk of fire. After carrying out maintenance work, make sure that no extraneous flammable material is left in the engine compartment or on the exhaust system.

ASSYST PLUS service interval display¹

Your vehicle is equipped as standard with the ASSYST PLUS service interval display.

Its maintenance computer will automatically inform you when the next service is due via the ASSYST PLUS service interval display in the instrument cluster (e.g. Service A due in 1,000 km).

This display may also be used to request information from a Mercedes-Benz Dealer about:

- · the expected service work
- the duration of the service work to be completed

Always observe the service message in the multifunction display of the instrument cluster. Have the specified service carried out within the remaining distance or the remaining time period.

Further information on the service interval display can be found in the index of the Operator's Manual under "ASSYST service interval display" or "ASSYST PLUS".

A descriptive listing of the service items are contained in this booklet starting on (> page 9). Following each maintenance service, your authorized Mercedes-Benz Dealer will reset the ASSYST PLUS service interval display by confirming the service items performed.

The authorized Mercedes-Benz Dealer performing the maintenance services will confirm the work has been carried out using the Confirmation pages in this booklet (\triangleright page 12).

Additional maintenance work is taken into account depending on time and distance. Additional work includes maintenance work carried out due to technical requirements, in cases of wear or work carried out on any optional equipment which might require service. This work is carried out and invoiced separately.

Overview of possible additional maintenance work (\triangleright page 11).

Depending on which service is due, the workshop carries out either Service A or Service B at fixed intervals.

These inspections take place either after a specific number of kilometers have been driven or

¹ Depending on the date of manufacture the vehicle is equipped with ASSYST or ASSYST PLUS service interval display.



4 Introduction

Service Booklet

after a certain period of time, depending on which threshold is reached first.

- Depending on how the vehicle is used, the maintenance computer may display the next service due date earlier than is indicated in this Service Booklet. Further information can be obtained at a qualified specialist workshop, e.g. an authorized Mercedes-Benz Dealer.
- The first service A is due after 12 months at the latest. Service A is then due every 24 months at the latest.
- The first service B is due after 24 months at the latest. Service B is then due every 24 months at the latest.

We continuously strive to improve our product and ask for your understanding that we reserve the right to make changes in the periodic maintenance work for our vehicles.

The information in this booklet is accurate as of the press date. At the time of your scheduled maintenance appointments with your authorized Mercedes-Benz Dealer, the most current maintenance work information will be utilized for your vehicle's age or kilometers. Please check with your authorized Mercedes-Benz Dealer for any changes to the periodic maintenance work required for your vehicle.

If the ASSYST PLUS service interval display was inadvertently reset, have an authorized Mercedes-Benz Dealer correct it. Please only reset if the proper maintenance service has been performed. Resetting the system without performing the proper maintenance service will result in engine and/or other vehicle damage not covered by the Mercedes-Benz New Vehicle Limited Warranty.

Mercedes-Benz Service

Even a Mercedes-Benz needs maintenance and care. This is why our service employees inspect your vehicle at regular intervals. Thereby putting it through its paces. You can therefore be certain that even after many thousands of kilometers, your Mercedes-Benz will still be running as safely and reliably as it did on the first day.

The following pages describe when such a service is required and what procedures are carried out on your Mercedes-Benz.

With us, your vehicle is in the best of hands. At our authorized Mercedes-Benz Partners, you will find the experience and expertise of over 100 years of vehicle design and manufacture. Should your vehicle be due for a service, simply bring it to an authorized Mercedes-Benz Dealer. In particular, work relevant to safety or on safety-related systems must be carried out at a qualified specialist workshop. Also observe the "Genuine Mercedes-Benz parts" section in the Operator's Manual.

Please note any maintenance work not performed or not performed at the specified interval which results in the failure of the warranted component(s) or system(s) in question may not be covered by the Mercedes-Benz New Vehicle Limited Warranty.

Tire rotation

Your vehicle's tires are a critical component to overall vehicle performance and vehicle stability. The useful life of tires will vary and is proportional to tire type, speed rating, ambient conditions, tire loading, tire inflation pressure, road surfaces, and individual driving style, among other factors. Therefore, Mercedes-Benz recommends regular checks for wear and proper inflation and, if applicable to your vehicle's tire configuration, tire rotation.

Tire rotations can be performed on vehicles with the same front and rear tire dimensions. If your vehicle is equipped with the same tire dimensions, tires can be rotated by observing a frontto-rear rotation pattern that will maintain the intended rotation (spinning) direction of the tire (on unidirectional tires, an arrow on the sidewall indicates the intended rotation or spinning direction of the tire). In some cases, such as when your vehicle is configured with staggered sizes (different tire sizes, front vs. rear), tire rotations are not possible.

If your vehicle's tire configuration allows for tire rotation, tire rotation should be performed in accordance with the recommended intervals, or sooner at first signs of irregular (uneven) tread wear. Tire rotation recommendations will likely necessitate a tire rotation at every Service B based on Mercedes-Benz maintenance intervals.



Always observe tire manufacturer's recommendations. Please refer to the tire pamphlet in your vehicle literature portfolio.

For your convenience, this Service Booklet contains a tire rotation confirmation page on which you can record the date and kilometers when tire rotations were performed (\triangleright page 13).

Severe operating conditions

The maintenance intervals have been determined so that the vehicle, under normal operating conditions, should operate properly between maintenance services. Severe operating conditions may call for correspondingly sooner replacement of the following items:

Interior filters

(e.g. cabin air filter, recirculating air filter or activated charcoal cabin air filter) are replaced as called for by the ASSYST PLUS service interval display. Under severe dust conditions, or with the Climate Control frequently operating in the air recirculation mode, the filter should be replaced more frequently than indicated by the ASSYST PLUS service interval display.

Spark plugs

Spark plugs should be replaced according to the specified maintenance interval. Severe operating conditions (frequent starting and stopping, excessive idling, sustained fast highway driving) may call for spark plugs to be replaced correspondingly sooner.

Coolant

The coolant should be checked for proper concentration before the start of each winter season (or once a year in hot regions).

Have the coolant (water/anticorrosion/antifreeze mixture) replaced at the specified maintenance interval.

Replacement of coolant may be required more frequently if coolant is not maintained according to instructions and/or other than approved anticorrosion/antifreeze products for your vehicle are being used. For instructions on coolant, see "Coolant" in your vehicle Operator's Manual. For a listing of approved anticorrosion/antifreeze products for your vehicle, contact your authorized Mercedes-Benz Dealer.

• Engine air filter

The engine air filter should be replaced at the specified maintenance interval. Severe operating conditions (driving on unpaved or dusty roads) may call for engine air filter to be replaced correspondingly sooner.

Brake fluid

Brake fluid should be replaced at the specified maintenance interval. We recommend that you only use brake fluid approved by Mercedes-Benz. A reminder for the next scheduled brake fluid replacement is affixed in the engine compartment.

Wear items

While the ASSYST PLUS service interval display calls for inspection of certain wear items, the system does not make any judgment on the condition of these wear items. Only a qualified technician can determine if a wear item needs to be replaced.

Approved engine oils and oil filters

Engine oils and oil filters are specifically tested for their suitability in our engines and durability for our service intervals. Therefore, only use approved engine oils and oil filters required for vehicles with the ASSYST PLUS service interval display. Conventional petroleum-based oils must not be used for vehicles equipped with the ASSYST PLUS service interval display.

The following cases are not covered by the Mercedes-Benz New Vehicle Limited Warranty:

- using engine oils and oil filters of specification other than those expressly required for the ASSYST PLUS service interval display.
- changing of oil and oil filter at change intervals longer than those called for by the ASSYST PLUS service interval display.
- using any oil additives.

Refer to the Operator's Manual for information on selecting the proper engine oils for your vehicle. The information can be found in the "Service products and filling capacities" section of the "Technical Data" chapter under "Engine oil".



Regular checks

In addition to the services, we recommend that you check the following items regularly (for example: weekly, when refueling, or before any long journey):

- Engine oil level Further information about engine oil level measurement can be found in the vehicle Operator's Manual.
- **Coolant level** Please refer to the Operator's Manual for the correct procedure to check the coolant level.
- Brake fluid level If brake fluid has to be added, see an authorized Mercedes-Benz Dealer to determine the cause, e.g. leaks or worn brake pads.
- Windshield washing system Add washer fluid mixed with Mercedes-Benz windshield washer solvent/concentrate, test function and check wiper blades.
- Lighting system
- Tire condition and pressures Check at least every other week. Please refer to section "Tires and wheels" in the Operator's Manual for guidelines and correct procedures to check tire condition and pressures.

Notes on the warranty

An extensive and well-equipped network of authorized Mercedes-Benz Dealers is at your disposal for service work. Your authorized Mercedes-Benz Dealer can ensure that your vehicle is professionally and thoroughly serviced and repaired.

Please see the Service and Warranty Information booklet for detailed information on warranty terms and coverage.

Please follow the instructions given in this Service Booklet, even if you entrust the vehicle to a third party for use or care. Only in this way will you be able to ensure that your warranty rights are not affected.

We strongly recommend that you have your vehicle serviced by your authorized Mercedes-Benz Dealer which is fully equipped to provide this service.

Please note that engines have to be serviced in accordance with special instructions and using special measuring equipment to comply with

legal requirements concerning exhaust emissions. Modifications to or tampering with emissions components is not permissible. Your authorized Mercedes-Benz Dealer is familiar with the relevant regulations.

Parts/Operating materials

We recommend only the use of Genuine Mercedes-Benz parts for service and repairs, since they meet our specifications. It is also important to only use fuels, lubricants and anticorrosion/antifreeze coolant meeting factory specifications. Please see your authorized Mercedes-Benz Dealer for more information on this subject.

Service records

Your authorized Mercedes-Benz Dealer will certify in this booklet the maintenance services on your vehicle which it has performed.

Other than the maintenance services described, the Service Booklet does not record or reflect any repair work that may have been performed to your vehicle. Please keep those receipts with your vehicle records.

For information concerning warranty, see your Service and Warranty Information booklet.

Your authorized Mercedes-Benz Dealer will gladly furnish additional information on the maintenance of your vehicle.

Mercedes-Benz Canada Inc.

A Daimler Company

Emission System Maintenance

Gasoline Engines

The U.S. Environmental Protection Agency and, in California, the Air Resources Board have certified that the emission control systems of your vehicle comply with the applicable exhaust emission standards for MY 2016 vehicles. This vehicle also complies with the applicable Canadian Motor Vehicle Emission Standards.

To be certain that the emission control systems function as designed, regular maintenance is necessary for components of the vehicle which



7

affect exhaust and evaporative emissions composition.

The vehicle owner is responsible for the regular maintenance of the emission control system, as well as the use of premium unleaded gasoline with an anti-knock index of at least 91 (displayed on the pump) in all gasoline engine models unless otherwise specified.

Refer to your Service and Warranty Information booklet and Operator's Manual for additional information.

Failure to properly maintain the emission system may result in repairs not being covered by the emission system warranties.

Explanations of each maintenance job are given on (\triangleright page 8).

Emission Control System Caution – Gasoline Engines

Your Mercedes-Benz vehicle is equipped with both a three-way catalyst and a closed loop oxygen sensor system to comply with current exhaust emission regulations. Keep your vehicle in proper operating condition by following our recommended maintenance instructions as outlined.

The following must be adhered to:

a) In all gasoline engine models, use only premium unleaded gasoline with an antiknock index of at least 91 (as displayed on the pump) unless otherwise specified. Damage to the engine could occur if premium unleaded fuel is not used. Refer to the Operator's Manual for special precautions.

b) Leaded gasoline should not be used under any circumstances. Damage to the emission control components will result.

c) In non flex-fuel capable gasoline engine equipped vehicles, ethanol blends greater than E10 should not be used. Damage to the engine could occur if improper fuels are used. Refer to the Operator's Manual for special precautions.

d) In select models, the use of Ethanol (E85) is also permissible. Models capable of also operating with E85 are identified by a label on the fuel filler flap reading "Premium gasoline or E85 only!" Do not use Ethanol fuel (E85) to operate any vehicle unless it is specifically identified as Ethanol fuel (E85) compatible. Damage to the engine could occur if improper fuels are used. Refer to the Operator's Manual for special precautions.

e) The specified engine maintenance jobs must be performed completely and at the required intervals. Properly functioning spark plugs for instance are important for the service life of the catalysts. Failure to properly perform the specified maintenance jobs may adversely affect the emission control system on the vehicle and reduce its service life.

f) The operation of the emission control system must not be altered in any way. Alterations are not permissible by law. In addition, alterations may result in damage to the catalysts, increased fuel consumption, and impaired engine running conditions.

g) Irregular engine running conditions should be corrected immediately by an authorized Mercedes-Benz Dealer. Such irregular running conditions can influence the proper function of the emission control system.

If the check engine indicator lamp in the instrument cluster illuminates when the engine is running, it indicates a possible malfunction of the engine management system or emission control system.

We recommend that you have the malfunction checked as soon as possible.

Description of Emission System Maintenance Jobs

The composition of exhaust emissions is influenced not only by the special emission control equipment, but also by various engine components and their adjustments.

Therefore, emission system maintenance must include these engine components. Some maintenance jobs are actually only tests. They are important, however, because they allow early detection of discrepancies which can later lead to increased exhaust emissions. It is generally less expensive to have such items adjusted immediately rather than allowing them to contribute to costly repairs. The maintenance intervals have been determined so that the vehicle, under normal conditions, should operate properly between maintenance services.



Engine oil and filter change

Change the engine oil and oil filter according to the specified maintenance intervals. If oil consumption should increase, determine the cause and take necessary corrective steps. Do not reset the ASSYST PLUS service interval display if the oil level is topped up or changed outside the specified maintenance intervals.

Replace engine air filter

The engine air filter must be replaced according to the specified maintenance intervals. Under severe dust conditions the engine air filter should be replaced more frequently than indicated by the ASSYST PLUS service interval display. Clean engine air filter cover and housing prior to removal of engine air filter.

Replace fuel filter

Replace the fuel filter according to the specified maintenance intervals.

Check engine poly-V-belt condition

The poly-V-belt is subject to wear and aging. It must be checked for cracks and wear according to the specified maintenance intervals. Replace poly-V-belt if necessary.

Replace spark plugs

Spark plugs are subject to electrode erosion and must be replaced according to the specified maintenance intervals, or more frequently as may be required when subject to severe operating conditions.

Maintenance service descriptions

Vehicle Maintenance Service Work (including Emission System Maintenance)

 Maintenance services must be performed at the number of kilometers or years (whichever comes first) as indicated, except where no time interval available or otherwise noted.

Detailed descriptions for the maintenance service can be found starting on $(\triangleright$ page 9).

Additional maintenance work is taken into account depending on time and distance. Additional work includes maintenance work carried out due to technical requirements, in cases of wear or work carried out on any optional equipment which might require service.

Overview of possible additional maintenance work (\triangleright page 11).

For description of emission system maintenance jobs, see (\triangleright page 7).



Service Booklet

Service overview

Further information on Service A and Service B can also be found in the "ASSYST PLUS service interval display" section (\triangleright page 3).

Before carrying out service and maintenance work, always observe the instructions and safety notes in the "Important Safety Notes" section (\triangleright page 3).

If you require further information on service/maintenance work for your vehicle, consult a qualified specialist workshop. Mercedes-Benz recommends that you use a Mercedes-Benz Dealer for this purpose.

	Service A	Service B
Replace remote key battery (both remote keys)	•	•
Service data read out from instrument cluster and ASSYST PLUS service interval display \mbox{reset}^2	•	•
Warning and indicator lamps in the instrument cluster checked	•	•
Illumination of the instrument cluster and interior lighting checked for correct function	•	•
Horn checked for correct function	•	•
Exterior lighting checked for correct function	•	•
Headlamp adjustment checked and corrected		•
Windshield wipers, windshield washer system and headlamp cleaning system checked for correct function $% \left({{{\rm{s}}_{\rm{s}}}} \right) = \left({{{\rm{s}}_{\rm{s}}}} \right)$	•	•
Seat belts and buckles checked for operation and external damage	•	•
Cargo compartment lighting checked for correct function	•	•
Windshield washer system fluid level checked and corrected	•	•
Vehicle's exterior checked for damage in visible area	•	•
Windshield checked for damage	•	•
Wiper blades checked	•	•
Door locks lubricated ³		•
Engine hood: lock and hinges lubricated, safety catch oiled, parts checked for freedom of movement $\!\!\!^4$	•	•
Engine: oil changed and oil filter replaced ⁵	•	•

2 If the service/maintenance work has not, or has only partially been carried out after the ASSYST PLUS service interval display has been reset, the maintenance computer must be reset to its original settings.

³ Including rear door

⁴ Replace parts in the event of even the slightest fault (separate invoice).

⁵ Service 3



	Service	Service
Brake system: fluid level checked ⁶	•	•
Coolant level checked in coolant expansion tank	•	•
Differential lock mechanism: engage differential locks, move vehicle a short distance to engage locks, then unlock differential locks	•	•
Differential lock mechanism: fluid level checked ⁶	•	•
Tire rotation (where applicable)		•
Parking brake checked (function test only)	•	•
Condition and tread depth of tires checked (visual inspection)	•	•
Condition of brake pads/linings checked (visual inspection)	•	•
Condition of brake discs checked (visual inspection)	•	•
Tire inflation pressure corrected	•	•
Inflation pressure in spare tire corrected (where applicable)	•	•
Tire Pressure Monitoring System activated (where applicable)	•	•
Tires checked for damage and cracks	•	•
Cabin air filter replaced		•
Poly-V-belt checked for wear in visible area		•
Power steering: oil level checked ^{6, 7} (where applicable)		•
Air-conditioning system: refrigerant level checked		•
All visible components in the engine compartment checked for damage and leaks ⁶	•	•
All visible components on the vehicle underside checked for leaks and damage ⁶		•
Steering: fastening bolt tightened		•
Visually inspect propeller shafts, universal joints and collapsible sections		•
Front axle: joint housing grease level checked, corrected		•
Front and rear axle: oil level checked, corrected		•
Tie rod and steering arm joints: checked for play; condition of rubber gaiters checked		•
Always observe the applicable additional maintenance work.	•	•

⁶ In the event of fluid loss, determine cause and rectify (separate invoice).

 $^7\,$ The oil level must always be at the maximum mark, taking the oil temperature into account.



Please make sure you read the technical documentation, such as the Operator's Manual and workshop information, before carrying out any maintenance work.

a 8

Additional maintenance work⁸

The additional maintenance work for your vehicle can be found on the following pages.

Before carrying out service and maintenance work, always observe the instructions and safety notes in the "Important Safety Notes" section (\triangleright page 3).

If you require further information on service/maintenance work for your vehicle, consult a qualified specialist workshop. Mercedes-Benz recommends that you use a Mercedes-Benz Dealer for this purpose.

Once at 3,000 km

Front and rear axle: oil changed (engine 157, 279)

Annually

Brake system and differential lock mechanism: brake fluid replaced

Service at every 40,000 km/2 years

Engine air-filter element replaced (engine 176)

Service at every 45,000 km/3 years

Main circuit: coolant replaced ⁹(engine 279)

Service at every 60,000 km/4 years

Engine air-filter element replaced (engine 157, 279)

Service at every 80,000 km/4 years

Front and rear axle: oil changed

Service at every 100,000 km/5 years

Spark plugs replaced

Every 5 years

Sliding sunroof: slide rail and slide block cleaned and lubricated

Service at every 120,000 km

Transfer case: oil changed

Automatic transmission: oil changed and oil filter replaced

Service at every 200,000 km/10 years

Low-temperature circuit: coolant replaced⁹ (engine 279)

Coolant replaced⁹ (engine 157, 176)

Fuel filter replaced

⁸ Additional maintenance work is subject to a separate invoice.

9 Observe the correct coolant mixture ratio



12 Pre-delivery inspection

Pre-delivery inspection

Carried out in accordance with Daimler AG specifications.

Odometer reading (km)	
Date	
	Signature/Stamp of Mercedes-Benz Dealer

Tire rotation

Please refer to (▷ page 4) for tire rotation information

Date:	Odometer:	
Date:	Odometer:	
Date:	Odometer:	
Date:	Odometer:	ns
Date:	Odometer:	tio
Date:	Odometer:	E E
Date:	Odometer:	Confirmations
Date:	Odometer:	S
Date:	Odometer:	
	sure you read the technical documentation such as	

14 Tire rotation

Date:	Odometer:
Date:	Odometer:
Date:	Odometer:
Date:	Odometer:



Service reports

Complete in full Vehicle identification number Date Odometer Repair order number Workshop code Remaining time/distance Additional maintenance work (time/distance since last change): Time/distance		km days/km years/km	Service A Service B	Confirmations
Oil change carried out: Oil brand/viscosity Engine Automatic transmission Front/rear axle Transfer case Service carried out in accords Daimler AG specifications: Yes/No Renewed/replaced: Brake fluid Coolant Brake pads/linings, front a Brake pads/linings, rear ax Fuel filter Cabin air filter Engine air-filter element Spark plugs	xle	Poly-V-belt		
Notes		Signature/Stamp of Merced	les-Benz Dealer	



Complete in full Vehicle identification number Date Odometer Repair order number Workshop code Remaining time/distance Additional maintenance work (time/distance since last change): Time/distance		km days/km years/km	Service A Service B	
Oil change carried out: Oil brand/viscosity Engine Automatic transmission Front/rear axle Transfer case Service carried out in accorda Daimler AG specifications: Yes/No Renewed/replaced: Brake fluid Coolant Brake pads/linings, front ax Brake pads/linings, rear ax Fuel filter Cabin air filter Cabin air filter Spark plugs Poly-V-belt	xle			

Notes

Signature/Stamp of Mercedes-Benz Dealer



Complete in full Vehicle identification number Date Odometer Repair order number Workshop code Remaining time/distance Additional maintenance work (time/distance since last change): Time/distance		km days/km years/km	Service A Service B	Confirmations
Oil change carried out: Oil brand/viscosity Engine Automatic transmission Front/rear axle Transfer case Service carried out in accorda Daimler AG specifications: Yes/No Renewed/replaced: Brake fluid Coolant Brake pads/linings, front a. Brake pads/linings, rear ax Fuel filter Cabin air filter Engine air-filter element Spark plugs Poly-V-belt	xle			Co
Notes		Signature/Stamp of N	fercedes-Benz Dealer	



Complete in full			Service A
Vehicle identification number			Service B
Date			
Odometer		km	
Repair order number			
Workshop code			
Remaining time/distance		days/km	
Additional maintenance work (time/distance since last change):			
Time/distance		years/km	
Oil change carried out:			
Oil brand/viscosity			
Engine			
Automatic transmission			
Front/rear axle			
Transfer case			
Service carried out in accord Daimler AG specifications:	ance with		
Yes/No			
Renewed/replaced:			
Brake fluid			
Coolant			
Brake pads/linings, front a	xle		
Brake pads/linings, rear ax			
Fuel filter			
Cabin air filter			
Engine air-filter element			
Spark plugs			
Poly-V-belt			
Notes		Signature/Stamp of	Mercedes-Benz Dealer

Complete in full Vehicle identification number Date Odometer Repair order number Workshop code Remaining time/distance Additional maintenance work (time/distance since last change): Time/distance	k days/k years/k		Confirmations
Oil change carried out: Oil brand/viscosity Engine Automatic transmission Front/rear axle Transfer case Service carried out in accorda Daimler AG specifications: Yes/No Renewed/replaced: Brake fluid Coolant Brake pads/linings, front ax Brake pads/linings, rear axl Fuel filter Cabin air filter Engine air-filter element Spark plugs Poly-V-belt	le		Con
Notes	Signature/Sta	imp of Mercedes-Benz Dealer	



	Complete in full
	Vehicle identification number
	Date
_	Odometer
	Repair order number
	Workshop code
	Remaining time/distance

Complete in full			Service A	
Vehicle identification number			Service B	
Date				
Odometer		km		
Repair order number				
Workshop code				
Remaining time/distance		days/km		
Additional maintenance work (time/distance since last change):				
Time/distance		years/km		
Oil change carried out:				
Oil brand/viscosity				
Engine				
Automatic transmission				
Front/rear axle				
Transfer case				
Service carried out in accord Daimler AG specifications:	ance with			
Yes/No				
Renewed/replaced:				
Brake fluid				
Coolant				
Brake pads/linings, front a	xle			
Brake pads/linings, rear a	de			
Fuel filter				
Cabin air filter				
Engine air-filter element				
Spark plugs				
Poly-V-belt				
Notes		Signature/Stamp of	Mercedes-Benz Dealer	



Complete in full Vehicle identification number Date Odometer Repair order number Workshop code Remaining time/distance Additional maintenance work (time/distance since last change): Time/distance		km days/km years/km	Service A Service B	Confirmations
Oil change carried out: Oil brand/viscosity Engine Automatic transmission Front/rear axle Transfer case Service carried out in accorda Daimler AG specifications: Yes/No Renewed/replaced: Brake fluid Coolant Brake pads/linings, front at Brake pads/linings, rear ax Fuel filter Cabin air filter Engine air-filter element Spark plugs Poly-V-belt	xle			Con
Notes		Signature/Stamp of N	∕lercedes-Benz Dealer	



Complete in full		Service A
Vehicle identification number		Service B
Date		
Odometer	km	
Repair order number		
Workshop code		
Remaining time/distance	days/km	
Additional maintenance work (time/distance since last change):		
Time/distance	years/km	
Oil change carried out:		
Oil brand/viscosity		
Engine		
Automatic transmission		
Front/rear axle		
Transfer case		
Service carried out in accordance with Daimler AG specifications:		
Yes/No		
Renewed/replaced:		
Brake fluid		
Coolant		
Brake pads/linings, front axle		
Brake pads/linings, rear axle		
Fuel filter		
Cabin air filter		
Engine air-filter element		
Spark plugs		
Poly-V-belt		
Notes	Signature/Stamp of Mer	rcedes-Benz Dealer



Complete in full Vehicle identification number Date Odometer Repair order number Workshop code Remaining time/distance Additional maintenance work (time/distance since last change): Time/distance		km ays/km ars/km	Service A Service B	Confirmations
Oil change carried out: Oil brand/viscosity Engine Automatic transmission Front/rear axle Transfer case Service carried out in accorda Daimler AG specifications: Yes/No Renewed/replaced: Brake fluid Coolant Brake pads/linings, front ax Brake pads/linings, rear ax Fuel filter Cabin air filter Engine air-filter element Spark plugs Poly-V-belt	de			Con
Notes	Signa	ture/Stamp of Merced	es-Benz Dealer	



Complete in full			Service A
Vehicle identification number Date			Service B
Odometer		km	
Repair order number			
Workshop code			
Remaining time/distance		days/km	
Additional maintenance work (time/distance since last change):			
Time/distance		years/km	
Oil change carried out:			
Oil brand/viscosity			
Engine			
Automatic transmission			
Front/rear axle			
Transfer case			
Service carried out in accord Daimler AG specifications:	ance with		
Yes/No			
Renewed/replaced:			
Brake fluid			
Coolant			
Brake pads/linings, front a			
Brake pads/linings, rear a	de		
Fuel filter			
Cabin air filter			
Engine air-filter element			
Spark plugs			
Poly-V-belt			
Notes		Signature/Stamp of I	Mercedes-Benz Dealer

Complete in full Vehicle identification number Date Odometer Repair order number Workshop code Remaining time/distance Additional maintenance work (time/distance since last change): Time/distance		km days/km years/km	Service A Service B	Confirmations
Oil change carried out: Oil brand/viscosity Engine Automatic transmission Front/rear axle Transfer case Service carried out in accorda Daimler AG specifications: Yes/No Renewed/replaced: Brake fluid Coolant Brake pads/linings, front a. Brake pads/linings, rear ax Fuel filter Cabin air filter Engine air-filter element Spark plugs Poly-V-belt	xle			Con
Notes		Signature/Stamp of Merce	edes-Benz Dealer	



Confirmations

Complete in fullVehicle identification numberDateOdometerRepair order numberWorkshop codeRemaining time/distanceAdditional maintenance work (time/distance since last change):Time/distance	km days/km years/km	Service A Service B
Oil change carried out: Oil brand/viscosity Engine Automatic transmission Front/rear axle Transfer case Service carried out in accordance Daimler AG specifications: Yes/No Renewed/replaced: Brake fluid Coolant Brake pads/linings, front axle Brake pads/linings, rear axle Fuel filter Cabin air filter Spark plugs Poly-V-belt		
Notes	Signature/Stamp of	Mercedes-Benz Dealer

Complete in full Vehicle identification number Date Odometer Repair order number Workshop code Remaining time/distance Additional maintenance work (time/distance since last change): Time/distance		km days/km years/km	Service A Service B	Confirmations
Oil change carried out: Oil brand/viscosity Engine Automatic transmission Front/rear axle Transfer case Service carried out in accorda Daimler AG specifications: Yes/No Renewed/replaced: Brake fluid Coolant Brake pads/linings, front a: Brake pads/linings, rear ax Fuel filter Cabin air filter Engine air-filter element Spark plugs Poly-V-belt	xle			Con
Notes		Signature/Stamp of Me	ercedes-Benz Dealer	



Complete in full			S	ervice A	
Vehicle identification number			S	ervice B	
Date					
Odometer		km			
Repair order number					
Workshop code					
Remaining time/distance		days/km			
Additional maintenance work (time/distance since last change):					
Time/distance		years/km			
Oil change carried out:					
Oil brand/viscosity					
Engine					
Automatic transmission					
Front/rear axle					
Transfer case					
Service carried out in accorda Daimler AG specifications:	ance with				
Yes/No					
Renewed/replaced:					
Brake fluid					
Coolant					
Brake pads/linings, front a	xle				
Brake pads/linings, rear ax	le				
Fuel filter					
Cabin air filter					
Engine air-filter element					
Spark plugs					
Poly-V-belt					
Notes		Signature/Stamp of	Mercedes-E	Benz Dealer	

